

University of Groningen

De reactie van Tullio in verband met de functie van het middenoor

Eunen, André Jan Hendrik van

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1942

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Eunen, A. J. H. V. (1942). *De reactie van Tullio in verband met de functie van het middenoor*. [, Rijksuniversiteit Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN.

I.

Bij een tabetische opticusatrofie is alleen in het begin malaria-therapie verantwoord.

II.

Alleen in die gevallen, waar reeds langen tijd ernstige maaglasten bestaan, verrichte men bij een doorgebroken maag-duodenumzweer primaire maagresectie.

III.

Bij chronische pneumonieën is een poging met röntgenstralen-behandeling gewettigd.

IV.

Post-traumatische encephalopathie kan ontstaan, zonder dat een trauma van den schedel heeft plaats gevonden.

V.

Indien een psoriasis-patient tevens multiple epitheliomen vertoont aan de huid van den romp, en arsenicumgebruik ontkent, is het gewenscht dit chemisch te verifieeren.

VI.

Pseudo-tetanus kan worden veroorzaakt door ascaris-toxinen.

VII.

Voor de verklaring van de pathogenese der intracranieele lipomen behoeft men geen verspringing van embryonale kiemen aan te nemen.

VIII.

De bepaling van het ijzergehalte van het serum is van groote waarde voor het vroegtijdig aantoonen van een zwangerschap.

IX.

Het is wenschelijk dat de medische propaedeuse wordt gewijzigd in een meer algemeen medische scholing.
